

Current h-index: 15

1. **Bohr-Ran Huang**, Ying-Kan Yang, Hsien-Lung Cheng, Rice-straw-like structure of silicon nanowire arrays for a hydrogen gas sensor, accepted by *Nanotechnology*. (Impact factor: 3.842, cited: 0)
2. **Bohr-Ran Huang**, Chung-Chi Liao, Chun-Yi Lu, Wen-Cheng Ke, Yi-Lun Huang, Nai-Chuan Chen, "Reduction of angular dip width of surface plasmon resonance sensor by coupling surface plasma waves on sensing surface and inside metal–dielectric–metal structure", *Journal of Vacuum Science & Technology A*, 31 (2013) 06F104. (Impact factor:1.432, cited: 0)
3. **Bohr-Ran Huang**, Tzu-Ching Lin, Kuo-Ting Chu, Ying-Kang Yang, Jun-Cheng Lin, "Field emission properties of zinc oxide/zinc tungstate (ZnO/ZnWO₄) composite nanorods", *Surface & Coating Technology*, 231 (2013) 289-292. (Impact factor:1.941, cited: 0)
4. Jun-Cheng Lin, **Bohr-Ran Huang**, Tzu-Ching Lin, "Bilayer structure of ZnO nanorod/nanodiamond film based ultraviolet photodetectors", *Journal of The Electrochemical Society*, 160(8) (2013) H509-H512. (Impact factor:2.588, cited: 0)
5. **Bohr-Ran Huang**, Jun-Cheng Lin, "A facile synthesis of ZnO nanotubes and their hydrogen sensing properties", *Applied Surface Science*, 280 (2013) 945-949. (Impact factor:2.112, cited: 0)
6. Tzu-Ching Lin, **Bohr-Ran Huang**, "Temperature effect on hydrogen response for cracked carbon nanotube/nickel (CNT/Ni) composite film with horizontally-aligned carbon nanotubes", *Sensors and Actuators B Chemical*, 185 (2013) 548-552. (Impact factor:3.535, cited: 0)
7. Jun-Cheng Lin, **Bohr-Ran Huang**, Ying-Kang Yang, "IGZO nanoparticle-modified silicon nanowires as extended-gate field-effect transistor pH sensors", *Sensors and Actuators B Chemical*, 184 (2013) 27-32. (Impact factor:3.535, cited: 0)
8. **Bohr-Ran Huang**, Jun-Cheng Lin, Ying-Kang Yang, "ZnO/Silicon Nanowire Hybrids Extended-gate Field-effect Transistors as pH Sensors", *Journal of The Electrochemical Society*, 160(6) (2013) B78-B82. (Impact factor:2.588, cited: 2)
9. Sheng-Bo Wang, Chih-Hung Hsiao, Shouu-Jinn Chang, Z. Y. Jiao, Sheng-Joue Young, Shang-Chao Hung, **Bohr-Ran Huang**, "ZnO Branched Nanowires and the p-CuO/n-ZnO Heterojunction Nanostructured Photodetector", *IEEE Transactions on Nanotechnology*, 12(2) (2013) 263-269. (Impact factor: 1.8, cited: 0)
10. **Bohr-Ran Huang**, Ying-Kang Yang, Wen-Luh Yang, "Key Technique for

Texturing a Uniform Pyramid Structure with a Layer of silicon nitride on Monocrystalline Silicon Wafer”, *Applied Surface Science*, 266 (2013) 245-249 (Impact factor:2.112, cited: 0)

11. Yunyun Zhang, Xiaowei Sun, Wen-Yu Kuo, Liann-Be Chang, **Bohr-Ran Huang**, Junliang Zhao, Haitao Dai, Shuguo Wang, “Optimization of the Au Stud Bump Number for the Flip-Chip Packaged InGaN LEDs”, *Advanced Materials Research Vols.*, 753-755 (2013) 2515-2520 (EI)
12. **Bohr-Ran Huang**, Jun-Cheng Lin, “Core-shell structure of zinc oxide/indium oxide nanorod based hydrogen sensors”, *Sensors and Actuators B Chemical*, 174 (2012) 389-393 (Impact factor:3.535, cited: 4)
13. Sheng-Bo Wang, Ming-Shien Hu, Shoou Jinn Chang, Cheong-Wei Chong, Hsieh-Cheng Han, **Bohr-Ran Huang**, Li-Chyong Chen, Kuei-Hsien Chen. “Gold nanoparticle-modulated conductivity in gold peapodded silica nanowires”, *Nanoscale*, 4 (2012) 3660-3664 (Impact factor:6.233, cited: 3)
14. Tse-Pu Chen, Sheng-Joue Young, Shoou-Jinn Chang, **Bohr-Ran Huang**, Shih-Ming Wang, Chih-Hung Hsiao, San-Lein Wu, Chun-Bo Yang “Low-frequency noise characteristics of GaN schottky barrier photodetectors prepared with nickel annealing, *IEEE Sensors Journal*, 12 (2012) 2824-2829 (Impact factor:1.475, cited: 0)
15. Zhan-Shuo Hu, Fei-Yi Hung, Shoou-Jinn Chang, **Bohr-Ran Huang**, Bo-Cheng Lin, Wei-Kang Hsieh, Kuan-Jen Chen. “Effect of Ag film thickness on the crystallization mechanism and photoluminescence properties of ZnO/Ag nanoflower arrays”, *Applied Surface Science*, 258 (2012) 8049-8054 (Impact factor:2.112, cited: 0)
16. N. C. Chen, C. Y. Lu, Y. L. Huang, C. C. Liao, W. C. Ke, **B. R. Huang**, “Properties of coupled surface plasmon-polaritons in metal-dielectric-metal structures”, *Journal of applied physics*, 112 (2012) 033111 (Impact factor:2.21, cited: 1)
17. S. B. Wang, C. H. Hsiao, S. J. Chang, K. T. Lam, K. H. Wen, S. C. Hung, S. J. Young, S. C. Hung, **B. R. Huang**, “CuO nanowire-based humidity sensor”, *IEEE Sensors Journal*, 12 (2012) 1884-1888 (Impact factor:1.475, cited: 2)
18. **Bohr-Ran Huang**, Tzu-Ching Lin, Jinn P. Chu, Yen-Chen Chen “Long-term stability of a horizontally-aligned carbon nanotube field emission cathode coated with a metallic glass thin film”, *Carbon*, 50 (2012) 1619-1624 (Impact factor: 5.868, cited: 4)
19. **Bohr-Ran Huang**, Ying-Kang Yang, Tzu-Ching Lin, Wen-Luh Yang, “A simple and low-cost technique for silicon nanowire arrays based solar cells”, *Solar Energy Materials and Solar Cells*, 98 (2012) 357-362. (Impact factor: 4.63,

cited: 13)

20. T. P. Chen, S. J. Young, S. J. Chang, S. M. Wang, C. H. Hsiao, **B. R. Huang**, C. B. Yang, "Effect of Nickel Annealing on GaN-Based Photodetectors", *Electrochemical and Solid State Letters*, 15(4) (2012) H111-H114 (Impact factor:2.01, cited: 0)
21. Tzu-Ching Lin, **Bohr-Ran Huang**, "Palladium Nanoparticles Modified Carbon Nanotube/Nickel Composite Rods (Pd/CNT/Ni) for Hydrogen Sensing", *Sensors and Actuators B Chemical*, 495 (2012) 108-113 (Impact factor:3.535, cited: 3)
22. **Bohr-Ran Huang**, Ying-Kan Yang, Tzu-Ching Lin, Wen-Luh Yang, "Core-shell structure of a silicon nanorod/carbon nanotube field emission cathode", *Journal of Nanomaterials*, (2012) Article ID 369763 (Impact factor: 1.547, cited: 1)
23. **Bohr-Ran Huang**, Tzu-Ching Lin, Ying-Kan Yang, Shien-Der Tzeng, "Gas ionization sensors with CNT/Ni field cathodes", *Journal of Nanoscience and Nanotechnology*, 11 2011 (2011) 1-5 (Impact factor: 1.149, cited: 0)
24. **Bohr-Ran Huang**, Tzu-Ching Lin, "A novel technique for fabrication of horizontally-aligned CNTs nanostructure for hydrogen gas sensing", *International Journal of Hydrogen Energy*, 36 (2011) 15919-15926 (Impact factor: 3.548, cited: 1)
25. S.B. Wang, C.H. Hsiao, S.J. Chang, K.T. Lam, K.H. Wen, S.C. Hung, S.J. Young, **B.R. Huang**, "A CuO nanowire infrared photodetector", *Sensors and Actuators A*, 171 (2011) 207-211 (Impact factor: 1.841, cited: 8)
26. Z.S. Hu, F. Y. Hung, S. J. Chang, K. J. Chen, Y. W. Tseng, **B. R. Huang**, B. C. Lin, W. Y. Chou, J. Chang, "Improvement of n-ZnO/p-Si Photodiodes by embedding of Silver Nanoparticles", *Journal of nanoparticle Research*, 13 (2011) 4757-4763. (Impact factor: 2.175, cited: 0)
27. **Bohr-Ran Huang**, Jun-Cheng Lin, Tzu-Ching Lin, Dave Mangindaan, Meng-Jiy Wang, "The improvement of performance for tungsten oxide nanowires by CF₄ plasma post-treatment", *Journal of Nanoscience and Nanotechnology*, 9 (2011) 7693-7699. (Impact factor:1.149, cited: 1)
28. Z.S. Hu, F. Y. Hung, S. J. Chang, **B. R. Huang**, B. C. Lin, K. J. Chen, T. P. Chen, W. I. Hsu, "Growth mechanism and field Emission Characteristics of GaO/GaN Nanotips Using Iodine-assisted Enhanced Focused Ion Beam Etching", *Current Nanoscience*, 7 (2011) 594-597. (Impact factor:1.356, cited: 1)
29. **Bohr-Ran Huang**, Tzu-Ching Lin, "Leaf-like carbon nanotube/nickel composite membrane extended-gate field-effect transistors as pH sensor", *Applied Physics Letters*, 99 (2011) 023108-023110. (Impact factor: 3.794, cited: 1)
30. S. J. Chang, C. H. Hsiao, S. C. Hung, S. J. Young, Y. C. Cheng, **B. R. Huang**, S. B. Wang, S. H. Chih, and T. P. Chen, "Growth and Characterization of

- ZnSe/CdSe Multiquantum Disks”, *IEEE Journal of Selective Topics in Quantum Electronics*, 17(4) (2011) 779-784. (Impact factor: 4.078, cited: 1)
31. S. J. Chang, C. H. Hsiao, S. C. Hung, S. H. Chih, S. B. Wang, Y. C. Cheng, **B. R. Huang**, S. P. Chang and S. J. Young, “ZnSe/ZnCdSeTe Superlattice Nanotips”, *IEEE Transactions on Nanotechnology*, 10(4) (2011) 682-687. (Impact factor: 1.8, cited: 0)
 32. **Bohr-Ran Huang**, Chia-Hui Chou, Wen-Cheng Ke, Yi-Lun Chou, Chia-Lung Tsai, Meng-chyi Wu, “Effects of hydrogen treatment on ohmic contacts to p-type GaN films”, *Applied Surface Science*, 257 (2011) 7490-7493. (Impact factor: 2.112, cited: 1)
 33. **Bohr-Ran Huang**, Shyankay Jou, Tzu-Ching Lin, Ying-Kan Yang, Chia-Hui Chou, Yao-Ming Wu, “Field emission property of arrayed nanocrystalline diamond”, *Diamond & Related Materials*, 20 (2011) 314-317. (Impact factor: 1.709, cited: 2)
 34. Zhan-Shuo Hua, Fei-Yi Hung, Shoou-Jinn Chang, **Bohr-Ran Huang**, Bo-Cheng Lin, Kuan-Jen Chen, Wen-I. Hsu. “Nanostructural characteristics of oxide-cap GaN nanotips by iodine–gallium ions etching”, *Journal of Alloys and Compounds*, 509 (2011) 2360-2363. (Impact factor: 2.39, cited: 4)
 35. S. J. Chang, S. M. Wang, T. P. Chen, S. J. Young, Y. C. Lin, S. L. Wu and **B. R. Huang**, “GaN Schottky Barrier Photodetectors Prepared on Patterned Sapphire Substrate”, *Journal of The Electrochemical Society*, 157(6) (2010) J212-J215. (Impact factor: 2.588, cited: 3)
 36. S. J. Chang, S. M. Wang, P. C. Chang, C. H. Kuo, S. J. Young, T. P. Chen, S. L. Wu, **B. R. Huang**, “GaN Schottky Barrier Photodetectors”, *IEEE SENSORS JOURNAL*, 10(10) (2010) 1609-1614. (Impact factor: 1.475, cited: 4)
 37. S.J. Chang, C.H. Hsiao, B.W. Lan, S.C. Hung, **B.R. Huang**, S.J. Young, Y.C. Cheng, S.H. Chih, “Growth of ternary ZnCdSe nanowires and the fabrication of ZnCdSe nanowire photodetectors”, *Superlattices and Microstructure*, 48 (2010) 50-57. (Impact factor: 1.564, cited: 5)
 38. C. H. Hsiao, S. C. Hung, S. H. Chih, S. B. Wang, Y. C. Cheng, **B. R. Huang**, S. J. Young, S. J. Chang, “ZnSe/ZnSeTe Superlattice Nanotips”, *Nanoscale Res. Lett.*, 5(6) (2010) 930-934. (Impact factor: 2.783, cited: 1)
 39. **Bohr-Ran Huang**, Shyankay Jou, Meng-Chang Wu, “Nanocrystalline Diamond Film as Cathode for Gas Discharge Sensors”, *Thin Solid Films*, 518 (2010) 4458-4461. (Impact factor: 1.604, cited: 2)
 40. **Bohr-Ran Huang**, Shyankay Jou, Yao-Ming Wu, Kuei-Hsien Chen, Li-Chyong Chen, “Effect of XeF laser treatment on structure of nanocrystalline diamond films”, *Diamond & Related Materials*, 19 (2010) 445-448. (Impact factor: 1.709,

cited: 2)

41. C.H. Hsiao, S.J. Chang, S.C. Hung, Y.C. Cheng, **B.R. Huang**, S.B. Wang, B.W. Lan, S.H. Chih, “ZnSe/ZnCdSe heterostructure nanowires”, *Journal of Crystal Growth*, 312 (2010) 1670-1675. (Impact factor: 1.552, cited: 8).
42. B. W. Lan and C. H. Hsiao, S. C. Hung, S. J. Chang, S. J. Young, Y. C. Cheng, S. H. Chih, **B. R. Huang**, “ZnCdSe nanowires grown by molecular beam epitaxy”, *Journal of Vacuum Science and Technology B*, 28(3) (2010) 613-616. (Impact factor: 1.267, cited: 1)
43. Chun-Shin Yeh, Dau-Chung Wang, **Bohr-Ran Huang**, Shih-Fong Lee, Jung-Fu Hsu, Jen-Yuan Mao, “Effect of rapid thermal annealing treatment on the field-emission characteristics of nanocrystalline diamonds grown on various metal/silicon substrates”, *Journal of Material Science: Materials in Electronics*, 21(4) (2010) 385-392. (Impact factor: 1.486, cited: 0)
44. **Bohr-Ran Huang**, Tzu-Ching Lin, Ying-Kan Yang, Shien-Der Tzeng, “The stability of the CNT/Ni field emission cathode fabricated by the composite plating method”, *Diamond & Related Materials*, 19(2-3) (2010) 158-161. (Impact factor: 1.709, cited: 9)
45. C. H. Hsiao, S. J. Chang, S. B. Wang, S. P. Chang, Y. C. Cheng, T. C. Li, W. J. Lin, **B. R. Huang**, “Quaternary ZnCdSeTe nanowires”, *Journal of Nanoscience and Nanotechnology*, 10 (2010) 798-802. (Impact factor: 1.149, cited: 2)
46. S. J. Chang, C. H. Hsiao, S. C. Hung, S. H. Chih, B. W. Lan, S. B. Wang, S. P. Chang, Y. C. Cheng, T. C. Li, and **B. R. Huang**, “Growth of ZnSe_{1-x}Te_x Nanotips and the Fabrication of ZnSe_{1-x}Te_x Nanotip-Based Photodetector”, *Journal of The Electrochemical Society*, 157(1) (2010) K1-K4. (Impact factor: 2.588, cited: 9)
47. S. J. Chang, C. H. Hsiao, S. B. Wang, Y. C. Cheng, T. C. Li, S. P. Chang, **B. R. Huang**, S. C. Hung, “A Quaternary ZnCdSeTe Nanotip Photodetector”, *Nanoscale Res Lett.*, 4 (2009) 1540-1546. (Impact factor: 2.783, cited: 6)
48. C. H. Hsiao, S. J. Chang, S. B. Wang, S. C. Hung, S. P. Chang, T. C. Li and W. J. Lin, **B. R. Huang**, “MBE growth of ZnSe nanowires on oxidized silicon substrate”, *Superlattices and Microstructures*, 46 (2009) 572-577. (Impact factor: 1.564, cited: 6)
49. Shyankay Jou, Jan-Jen Pan, **Bohr-Ran Huang**, “Silicon nanocone arrays deposited by sputtering”, *Journal of Nanoscience and Nanotechnology*, 9 (10) (2009) 5927-5931. (Impact factor: 1.149, cited: 1)
50. Shih-Fong Lee, Chun-Shin Yeh, Yung-Ping Chang, Dau-Chung Wang, **Bohr-Ran Huang**, “Improved quality of polycrystalline diamond grown by two-stage growth in microwave plasma chemical vapor deposition”, *New Carbon*

- Materials*, 24(3) (2009) 223-229. (Impact factor: 0.981, cited: 0)
51. **Bohr-Ran Huang**, Huang-Chin Chen, Shyankay Jou, I-Nan Lin, “UNCD Electron Emitters Using Si Nanostructure as a Template”, *Vacuum*, 84 (2010) 111-114. (Impact factor:1.53, cited: 1)
 52. Chen-Ming Chen, Ming-Hua Chung, Tsung-Eong Hsieh, **Bohr-Ran Huang**, Huai-En Hsieh, Fuh-Shyang Juang, Yu-Sheng Tsai, Mark O. Liu, Jen-Lien Lin, “Ultraviolet-assisted synthesis of encapsulating adhesives and their application for lifetime improvement of organic light emitting diodes”, *Current Applied Physics*, 9 (2009) 746-749. (Impact factor: 1.814, cited: 1)
 53. Ming-Hua Chang, Tsung-Eong Hsieh, **Bohr-Ran Huang**, Huai-En Hsieh, Fuh-Shyang Juang, Yu-Sheng Tsai , Mark O. Liu, Jen-Lien Lin, “A study of ultraviolet-curable organic/inorganic hybrid nanocomposites and their encapsulating applications for organic light-emitting diodes”, *Materials Chemistry and Physics*, 115(2) (2009) 541-546. (Impact factor: 2.072, cited: 7)
 54. **Bohr-Ran Huang**, S-K Jou, Meng-Chang Wu, “Field Emission and Electric Discharge of Nanocrystalline Diamond Films”, *Journal of Electronic materials*, 38(6) (2009) 750-755. (Impact factor: 1.635, cited: 3)
 55. **Bohr-Ran Huang**, Chun-Shin Yeh, Dau-Chung Wang, J.T.Tan, J. Sung, “Field emission studies of amorphous carbon deposited on copper nanowires grown by cathodic arc plasma deposition”, *New Carbon Materials*, 24(2) (2009) 97-101. (Impact factor: 0.981, cited: 4)
 56. C. H. Hsiao, S. J. Chang, S. B. Wang, S. P. Chang, T. C. Li, W. J. Lin, C. H. Ko, T. M. Kuan and **B. R. Huang**, “ZnSe Nanowire Photodetector Prepared on Oxidized Silicon Substrate by Molecular-Beam Epitaxy”, *Journal of The Electrochemical Society*, 156(4) (2009) 73-76. (Impact factor: 2.588, cited: 18)
 57. **Bohr-Ran Huang**, Te-He Wu, Shyankay Jou, Wei-Ru Chen, Jung-Fu Hsu, Chun-Shin Yeh, “Effect of triode structure on field emission properties of nanocrystalline diamond films”, *Diamond & Related Materials*, 18 (2009) 235-237. (Impact factor: 1.709, cited: 5)
 58. Chien-Sheng Huang, Chun-Yu Yeh, Chen-Huan Yuan, **Bohr-Ran Huang**, Chih-Hung Hsiao, “The study of a carbon nanotube O₂ sensor by field emission treatment”, *Diamond & Related Materials*, 18 (2009) 461-464. (Impact factor: 1.709, cited: 7)
 59. Shoou-Jinn Chang, Ting-Jen Hsueh, I-Cherng Chen, Shang-Fu Hsieh, Sheng-Po Chang, Cheng-Liang Hsu, Yan-Ru Lin, **Bohr-Ran Huang**, “Highly sensitive ZnO nanowire acetone vapor sensor with Au adsorption”, *IEEE T. Nanotechnology*, 7(6) (2008) 754-758. (Impact factor: 1.8, cited: 23)
 60. Chen-Ming Chen, Ming-Hua Chung, Tsung-Eong Hsieh, **Bohr-Ran Huang**,

- Huai-En Hsieh, Fuh-Shyang Juang, Yu-Sheng Tsai, Mark O. Liu, Jen-Lien Lin, "Electroluminescent properties of color/luminance tunable organic light emitting diodes and their lifetime enhancement with encapsulation", *Materials Science and Engineering B*, 153 (1-3) (2008) 100-105. (Impact factor: 1.846, cited: 6)
61. **Bohr-Ran Huang**, Chun-Shin Yeh, Shih-Fong Lee, Dau-Chung Wang, Kun-Gi Chen, "Effects of pretreatment and post-annealing on the field emission property of diamond-like carbon grown on a titanium/silicon substrate", *New Carbon Materials*, 23(3) (2008) 209-215. (Impact factor: 0.981, cited: 3)
 62. Jian-Ji Huang, Yan-Kuin Su, Ming-Hua Chang, Tsung-Eong Hsieh, **Bohr-Ran Huang**, Shun-Hsi Wang, Wen-Ray Chen, Yu-Sheng Tsai, Huai-En Hsieh, Mark O. Liu, Fuh-Shyang Juang, "Lifetime Improvement of Organic Light Emitting Diodes using LiF Thin Film and UV Glue Encapsulation", *Japanese Journal of Applied Physics*, 47(7) (2008) 5676-5680. (Impact factor: 1.067, cited: 1)
 63. Shoou-Jinn Chang, Ting-Jen Hsueh, I-Cherng Chen, **Bohr-Ran Huang** "Highly sensitive ZnO nanowire CO sensors with the adsorption of Au nanoparticles", *Nanotechnology*, 19 (2008) 175502-175506. (Impact factor: 3.842, cited: 57)
 64. C.S. Huang, **B. R. Huang**, C.H. Hsiao, C.Y. Yeh, C.C. Huang, Y.H. Jang, "Effects of the catalyst pretreatment on CO₂ sensors made by carbon nanotubes", *Diamond & Related Materials*, 17(4) (2008) 624-627. (Impact factor: 1.709, cited: 8)
 65. Shoou-Jinn Chang, Ting-Jen Hsueh, Cheng-Liang Hsu, Yan-Ru Lin, I-Cherng Chen, **Bohr-Ran Huang**, "A ZnO nanowire vacuum pressure sensor", *Nanotechnology*, 19(9) (2008) 095505-095508. (Impact factor: 3.842, cited: 24)
 66. S. J. Chang, T. K. Lin, Y. Z. Chiou, **B. R. Huang**, S. P. Chang, C. M. Chang, Y. C. Lin, C. C. Wong, "ZnSe based white light emitting diode on homoepitaxial ZnSe substrate", *IET Optoelectron.*, 1(1) (2007) 39-41. (Impact factor: 0.849, cited: 2)
 67. **Bohr-Ran Huang**, Jung-Fu Hsu, Chien-Sheng Huang, Yu-Tai Shih, Kao-Sheng Lu, "Silicon nanowire networks for the application of field effect phototransistor", *Journal of Material Science and Engineering C*, 27 (2007) 1197-1200. (Impact factor: 2.404, cited: 7).
 68. Chien-Sheng Huang, **Bohr-Ran Huang**, Meng-Hsien Tsai, Yu-Min Chuang, Chih-Hong Hsiao, "The effect of the field emission on CNTs for N₂ detection", *Diamond & Related Materials*, 15 (2006) 2015-2018. (Impact factor: 1.709, cited: 2)
 69. Chih-Han Chen, **Bohr-Ran Huang**, Tzer-Shen Lin, I-Cherng Chen, Cheng-Liang Hsu, "A New Negative Ion Generator Using ZnO Nanowire Array", *Journal of The Electrochemical Society*, 153(10) (2006) 894-896. (Impact factor:

2.588, cited: 5)

70. J. F. Hsu, **B. R. Huang** “The Growth of Silicon Nanowires by Electroless Plating technique with Ni Catalysts on Silicon substrate”, *Thin Solid Films*, 514 (2006) 20-24. (Impact factor: 1.604, cited: 17)
71. S. J. Chang, T. K. Lin, Y.-K.Su, Y. Z. Chiou, C. K. Wang, S. P. Chang, C. M. Chang, J. J. Tang, **B. R. Huang**, “ITO/Homoepitaxial ZnSe/ITO MSM Sensors With Thermal Annealing”, *IEEE Sensors Journal*, 6(4) (2006) 945-949 (Impact factor: 1.475, cited: 2).
72. T. K. Lin, S. J. Chang, **B. R. Huang**, K. T. Lam, Y. S. Sun, M. Fujita, and Y. Horikoshie, “Transparent RuOx Contacts on n-ZnO”, *Journal of The Electrochemical Society*, 153(7) (2006) 677-680. (Impact factor: 2.588, cited: 4)
73. T. K. Lin, S. J. Chang, Y. Z. Chiou, C. K. Wang, S. P. Chang, J. J. Tang, **B. R. Huang**, “Homoepitaxial ZnSe MIS photodetectors with SiO₂ and BST Insulator Layers” *Solid-State Electronics*, 50 (2006) 750-753. (Impact factor: 1.482, cited: 10)
74. P.-C. Chen, C.-H. Chen, S.-J. Chang, Y.-K. Su, P.-C. Chang, **Bohr-Ran Huang**, “High hole concentration of p-type InGaN Epitaxial layers Grown by MOCVD” *Thin Solid Films*, 498 (2006) 113-117. (Impact factor: 1.604, cited: 11)
75. P.-C. Chang, C.-H. Chen, S.-J. Chang, Y.-K. Su, C.-L. Yu, **Bohr-Ran Huang**, P.-C. Chen, “High UV/visible rejection contrast AlGaIn/GaN MIS photodetectors.” *Thin Solid Films*, 498 (2006) 133-136. (Impact factor: 1.604, cited: 14)
76. S. J. Chang, T. K. Lin, Y. K. Su, Y. Z. Chiou, C. K. Wang, S. P. Chang, C. M. Chang, J. J. Tang, **B. R. Huang**, “Homoepitaxial ZnSe MSM photodetectors with various transparent electrodes”, *Materials Science and Engineering B*, 127 (2006) 164-168. (Impact factor: 1.846, cited: 9)
77. C. H. Liu, T.K. Lin, S. J. Chang, Y. K. Su, Y. Z. Chiou, C. K. Wang, S. P. Chang, J. J. Tang, **B. R. Huang**, “Photo-assisted thermally oxidized GaAs Insulator layers deposited by Photo-CVD”, *Surface & Coating Technology*, 200 (2006) 3250-3253. (Impact factor: 1.941, cited: 1)
78. Ming-Shien Hu, Hsin-Li Chen, Ching-Hsing Shen, Lu-Sheng Hong, **Bohr-Ran Huang**, Kuei-Hsien Chen, Li-Chyong Chen, “Photosensitive gold nanoparticle-embedded dielectric nanowires”, *Nature Materials*, 5 (2006) 102-106. (Impact factor: 35.749, cited: 161)
79. L.-S. Hsu, C. S. Yeh, C. C. Kuo, **B. R. Huang**, S. Dhar, “Optical and transport properties of undoped and Al-, Ga-and In-doped ZnO thin films”, *Journal of Optoelectronics and Advanced Materials*, 7(6) (2005) 3039-3046. (Impact factor: 0.516, cited: 13)

80. Chien-Sheng Huang, **Bohr-Ran Huang**, Yung-Huang Jang, Meng-Shiuan Tsai, Chun-Yu Yeh, "Three-terminal CNTs gas sensor for N₂ detection", *Diamond & Related Materials*, 14 (2005) 1872-1875. (Impact factor: 1.709, cited: 28)
81. **Bohr-Ran Huang**, Jung-Fu Hsu, Chien-Sheng Huang, "The effects on the field emission properties of silicon nanowires by different pre-treatment techniques of Ni catalysts layers", *Diamond & Related Materials*, 14 (2005) 2105-2108. (Impact factor: 1.709, cited: 6)
82. T.K. Lin, S.J. Chang, Y.K. Su, **B.R. Huang**, M. Fujita, Y. Horikoshi, "ZnO MSM photodetectors with Ru contact electrodes", *Journal of Crystal Growth*, 281(2005) 513-517. (Impact factor: 1.552, cited: 46)
83. T.K. Lin, S.J. Chang, Y.K. Su, Y.Z. Chiou, C.K. Wang, S.P. Chang, C.M. Chang, J.J. Tang, **B.R. Huang**, "ZnSe MSM photodetectors prepared on GaAs and ZnSe substrates", *Materials Science and Engineering B*, 119 (2005) 202-205. (Impact factor: 1.846, cited: 4)
84. Jun-Fu Hsu, **Bohr-Ran Huang**, Chien-Sheng Huang, Hsin-Li Chen, "Silicon Nanowires as a pH sensor", *Japanese Journal of Applied Physics*, 44(4B) (2005) 2626-2629. (Impact factor: 1.067, cited: 18)
85. S. M. Wang, C. H. Chen, S. J. Chang, Y. K. Su, **B. R. Huang**, "Mg-doped GaN activated with Ni catalyst", *Materials Science and Engineering B*, 117 (2005) 107-111. (Impact factor: 1.846, cited: 3)
86. Te-ho Wu, L.X Ye, Chun-Shin Yeh, Y.W. Huang, **Bohr-Ran Huang**, J.C. Wu, "Magnetic Domain Reversal Behavior for Various Patterned Hole Depths", *IEEE Transactions on Magnetics*, 41(2) (2005) 950-952. (Impact factor: 1.422, cited: 1)
87. T. K. Lin, S. J. Chang, Y. K. Su, Y. Z. Chiou, C. K. Wang, C. M. Chang, **B. R. Huang**, "ZnSe Homoepitaxial MSM Photodetectors With Transparent ITO Contact Electrodes", *IEEE Transactions on Electron Devices*, 52(1) (2005) 121-123. (Impact factor: 2.062, cited: 17)
88. **B. R. Huang**, C. S. Huang, C. C. Wu, L.-C. L. Chen, K. H. Chen, "Electrical properties of annealed MPCVD grown vertically aligned carbon nanotubes films", *Diamond & Related Materials*, 13 (2004) 2156-2159. (Impact factor: 1.913, cited: 4)
89. **B. R. Huang**, C. S. Huang, C. F. Hsieh, Y. F. Liu, "The Electrical Conduction Mechanism of multiwalled carbon nanotubes film synthesized by microwave plasma chemical vapor deposition", *Diamond & Related Materials*, 13 (2004) 2131-2135. (Impact factor: 1.709, cited: 3)
90. C. L. Li, **B. R. Huang**, S. Chattopadhyay, L. C. Chen, K. H. Chen, "Amorphous boron carbon nitride as a pH sensor", *Applied Physic Letters*, 84(15) (2004)

2676-2678. (Impact factor: 3.794, cited: 9)

91. C. K. Wang, S. J. Chang, Y. K. Su, Y. Z. Chiou, T. K. Lin, **B. R. Huang**, “Low interface state density AlGaN/GaN MOSHFETs with photochemical vapor deposition SiO₂ layers”, *physica status solidi (c)*, 7 (2003) 2355-2359. (EI, cited: 1)
92. C. K. Wang, Y. Z. Chiou, S. J. Chang, Y. K. Su, **B. R. Huang**, T. K. Lin and S. C. Chen, “AlGaN/GaN metal-oxide semiconductor heterostructure field-effect transistor with photo-chemical-vapor deposition SiO₂ gate oxide”, *Journal of Electronic Materials*, 32(5) (2003) 407-411. (Impact factor: 1.635, cited: 14)
93. S. J. Chang, C. H. Chen, P. C. Chang, Y. K. Su, P. C. Chen, Y. D. Jhou, H. Hung, S. M. Wang, **B. R. Huang**, “Nitride-based LEDs with p-InGaN capping layer”, *IEEE Tran. Electron. Dev.*, 50(12) (2003) 2567-2570. (Impact factor: 2.062, cited: 43)
94. S. J. Chang, W. C. Lai, J. F. Chen, S. C. Chen, **B. R. Huang**, C. H. Liu, U. H. Liaw, “Be Diffusion in GaN”, *Materials Characterization*, 49 (2003) 337-341. (Impact factor: 1.88, cited: 7)
95. Y. Z. Chiou, S. J. Chang, Y. K. Su, C. K. Wang, T. K. Lin, **Bohr-Ran Huang**, “Photo-CVD SiO₂ Layers on AlGaN and AlGaN/GaN MOSHFET”, *IEEE Transaction on Electron Device*, 50(8) (2003) 1748-1752. (Impact factor: 2.062, cited: 39)
96. C. H. Liu, C. S. Chang, S. J. Chang, Y. K. Su, Y. Z. Chiou, S. H. Liu, **B. R. Huang**, “The characteristics of photo-CVD SiO₂ and its application on SiC MIS UV photodetectors”, *Materials Science and Engineering B*, 100(2) (2003) 142-146. (Impact factor: 1.846, cited: 5)
97. Yu-Zung Chiou, Jung-Ran. Chiou, Yan-Kuin Su, Shoou-Jinn. Chang, **Bohr-Ran Huang**, Chia-Sheng Chang, Yi-Chao. Lin, “The characteristics of different transparent electrodes on GaN photodetectors”, *Materials Chemistry and Physic*, 80 (2003) 201-204. (Impact factor: 2.072, cited: 8)
98. S.-J. Chang, Y.-K. Su, Y.-Z. Chiou, J.-R. Chiou, **B.-R. Huang**, C.-S. Chang, J.F. Chen, “Deposition of SiO₂ layers on GaN by photochemical vapor deposition”, *Journal of The Electrochemical Society*, 150(2) (2003) C77-C80. (Impact factor: 2.588, cited: 24)
99. **Bohr-Ran Huang**, C. T. Chia, M. C. Chang, C. L. Cheng, “Bias effects on large area polycrystalline diamond films synthesized by the bias enhanced growth technique”, *Diamond and Related Materials*, 12 (2003) 26-32. (Impact factor: 1.709, cited: 5)
100. Y.-Z. Chiou, C.-S. Chang, S.-J. Chang, Y.-K. Su, J.-R. Chiou, **B.-R. Huang**, J.F. Chen, “Deposition of SiO₂ layers on 4H-SiC by photochemical vapor

- deposition”, *Journal of Vacuum Science and Technology B*, 21(1) (2003) 329-331. (Impact factor: 1.267, cited: 9)
101. Y. C. Lin, S. J. Chang, Y. K. Su, T. Y. Tsai, C. S. Chang, S. C. Shei, S. J. Hsu, C. H. Liu, U. H. Liaw, S. C. Chen, **B. R. Huang**, “Nitride-based light emitting diodes with Ni/ITO p-type ohmic contacts”, *IEEE Photonics Technology Letters*, 14(12) (2002) 1668-1670. (Impact factor: 2.038, cited: 56)
 102. **Bohr-Ran Huang**, Shouu-Jinn Chang, “The electrical conduction mechanism for the polycrystalline diamond membrane in the voltage range of ± 50 V”, *Materials Letters*, 56(5) (2002) 867-872. (Impact factor: 2.224, cited: 1)
 103. S. J. Chang, J. S. Lee, J. F. Chen, S. C. Sun, C. H. Liu, U. H. Liaw, **B. R. Huang**, “Improvement of electrical and reliability properties of tantalum pentoxide by high density plasma (HDP) annealing in N_2O ”, *IEEE Electron Device Letters*, 23(11) (2002) 643-645. (Impact factor: 2.789, cited: 6)
 104. L. Lee, F. C. Chang, H. M. Chung, M. C. Lee, W. H. Chen, W. K. Chen, **B.R. Huang**, “Dependence of deep level concentrations on ammonia flow rate in n-type GaN films”, *Chinese Journal of Physics*, 40(4) (2002) 424-428. (Impact factor: 0.477, cited: 1)
 105. **Bohr-Ran Huang**, Li-Chyong L. Chen, Kuei-Hsien Chen, “The analyses on the surface properties of the annealed-diamond membrane”, *Materials Science and Engineering: B*, 95(1) (2002) 111-115. (Impact factor: 1.846, cited: 0)
 106. Chun-An Lu, Li Chang, **Bohr-Ran Huang**, “Growth of diamond films with bias during microwave plasma chemical vapor deposition”, *Diamond and Related Materials*, 11 (2002) 523-526. (Impact factor: 1.709, cited: 1)
 107. **Bohr-Ran Huang**, Kian-Ping Loh, Jung-Fu Hsu, Ming-Chin Chang, “Surface characteristics of thick, free-standing diamond film prepared by chemical etching and rapid thermal processing”, *Surface Review and Letters*, 8(5) (2001) 477-480. (Impact factor: 0.276, cited: 1)
 108. **Bohr-Ran Huang**, W.-C. Ke, J.-F. Hsu, W.-K. Chen, “Successive Current-voltage Measurements of a Thick Isolated Diamond Film”, *Materials Chemistry and Physics*, 72 (2001) 214-217. (Impact factor: 2.072, cited: 3)
 109. **Bohr-Ran Huang**, J.-F. Hsu, J.-Y. Chen, “Physical Characteristics of the Annealed/Isolated-diamond film”, *Materials Chemistry and Physics*, 72 (2001) 167-171. (Impact factor: 2.072, cited: 1)
 110. **Bohr-Ran Huang**, Wen-Cheng Ke, Wei-Kuo Chen, “Electrical properties of the free-standing diamond film at high voltages”, *Japanese Journal of Applied Physics*, 40(5A) (2001) 3240-3245. (Impact factor: 1.067, cited: 1)
 111. S. J. Chang, Y. K. Su, J. F. Chen, L. F. Wen, **B. R. Huang**, “Effects of electron effective mass on the multiquantum barrier structure in AlGaInP laser diodes”,

- IEE Proceeding-Optoelectronics*, 148 (2001) 117-120. (EI, cited: 1)
112. Gin-Liang Chen, Fu-Chin Chang, Wang-Cheng Chung, **Bohr-Ran Huang**, Wen-Hsiung Chen, Ming-Chih Lee, Wei-Kuo Chen, "Effect of Thermal Annealing on Ni/Ta/n-GaN Schottky Diodes", *Japanese Journal of Applied Physics*, 40(3B) (2001) 255-258. (Impact factor: 1.067, cited: 5)
 113. C. M. Lin, S. J. Chang, M. Yokoyama, I-N Lin, J. F. Chen, **Bohr-Ran Huang**, "Field-Emission Enhancement of Mo-Tip Field-Emitted Arrays Fabricated by Using a Redox Method", *IEEE Electron Device Letters*, 21(12) (2000). 560-562. (Impact factor: 2.789, cited: 9)
 114. **Bohr-Ran Huang**, C. H. Wu, K. Y. Yang, "Polycrystalline diamond films for X-ray lithography mask", *Materials Science and Engineering B*, 75 (2000) 61-67. (Impact factor: 1.846, cited: 3)
 115. **Bohr-Ran Huang**, C. H. Chen, W. Z. Ke, "Surface-enhanced Raman analysis of the diamond films by using different metals", *Materials Letters*, 42, (2000) 162-165. (Impact factor: 2.224, cited: 6)
 116. **Bohr-Ran Huang**, C. H. Wu, J. F. Hsu, "The annealing effect on the electrical property of the Al/undoped diamond film", *Diamond and Related Materials*, 9(1) (2000) 73-81. (Impact factor: 1.709, cited: 3)
 117. **Bohr-Ran Huang**, "Synthesis of Uniform and Large-Area Polycrystalline Diamond Films Using Microwave Plasma Chemical Vapor Deposition System", *New Diamond and Frontier Carbon Technology*, 9(4) (1999) 259-272. (EI, cited: 2)
 118. **Bohr-Ran Huang**, J. T. Sheu, C. H. Wu, "Bilayer SiNX/Diamond Films for X-ray Lithography Mask", *Japanese Journal of Applied Physics*, 38(11) (1999) 6530-6534. (Impact factor: 1.058, cited: 1)
 119. Sheng-Lyang Jang, **Bohr-Ran Huang**, Jiann-Jong Ju, "A unified Analytical Filly-Depleted and Partially-Depleted SOI MOSFET Model", *IEEE TRANSACTIONS ON ELECTRON DEVICES*, 46(10) (1999) 1872-1876. (Impact factor: 2.062, cited: 12)
 120. **Bohr-Ran Huang**, Wen-Zheng Ke, "The surface properties on both sides of the isolated diamond film", *Materials science and Engineering B-Solid State Materials for Advanced Technology*, B64 (1999) 187-191. (Impact factor: 1.846, cited: 10)
 121. **Bohr-Ran Huang**, Chia-haur Wu, "Electrical Conduction Mechanism of Al Contacts and Undoped Polycrystalline Diamond Films", *Japanese Journal of Applied Physics*, 38(10) (1999) 6039-6046. (Impact factor: 1.067, cited: 3)
 122. **Bohr-Ran Huang**, W. Z. Ke, "The Physical Characterization of the (111) and (100) textured Diamond Films Synthesized by Two Optimal Conditions",

- Materials Chemistry and Physics*, 60 (1999) 143-149. (Impact factor: 2.072, cited: 2)
123. **Bohr-Ran Huang**, C. H. Wu, W. Z. Ke, "Surface analysis of boron-doped polycrystalline diamond films deposited by a microwave plasma chemical vapor deposition system", *Materials Chemistry and Physics*, 59 (1999) 143-148. (Impact factor: 2.072, cited: 15)
 124. **Bohr-Ran Huang**, K.Y. Yang, C. H. Wu, W. S. Peng, "The Oxygenated Phenomenon of the Undoped Large-Grain and Small-Grain Polycrystalline Diamond Films", *Materials Chemistry and Physics*, 57(1) (1998) 41-46. (Impact factor: 2.072, cited: 10)
 125. **Bohr-Ran Huang**, D.K. Reinhard, "Electrical Properties of the Undoped Large-grain and Small-grain Diamond Films", *Diamond and Related Materials*, 2(6) (1993) 812-815. (Impact factor: 1.709, cited: 13)
 126. C.A. Gamlen, E.D. Case, **Bohr-Ran Huang**, D.K. Reinhard, "Adhesion of Polycrystalline Diamond Thin Films on Single Crystal Silicon Substrate", *Applied Physic Letters*, 59(20) (1991) 2529-2531. (Impact factor: 3.794, cited: 13)
 127. **Bohr-Ran Huang**, D.K. Reinhard, "Electric Filed-Dependent Conductivity of Polycrystalline Diamond Thin Films", *Applied Physic Letters*, 59(12) (1991) 1494-1496. (Impact factor: 3.794, cited: 22)
 128. J. Zhang, **Bohr-Ran Huang**, D.K. Reinhard, J. Asmussen, "An Investigation of Electromagnetic Field Patterns During Microwave Plasma Diamond Thin Film Deposition", *Journal of Vacuum Science Technology A*, 8(3) (1990) 2124-2128. (Impact factor: 1.432, cited: 28)
 129. J. Engemann, H. Keller, **Bohr-Ran Huang**, D.K. Reinhard, J. Asmussen, "Dual-side Contact Formation Isolated Diamond Films", *Applied Physic Letters*, 57(73) (1990) 2461-2463. (Impact factor: 3.794, cited: 4)